

# Product data sheet

## Rollan 80 NT wood



Sliding door fitting system for timber, plastic, or metal doors  
with a leaf weight of 80 kg

### AREAS OF APPLICATION

- For medium-weight interior sliding doors
- For passage doors or partition walls in living and office areas
- Lower space requirements for the door fitting means simple installation even in tight areas
- Single and multiple-leaf sliding doors
- Installation on the ceiling or wall

### PRODUCT FEATURES

- Especially suited for wooden, plastic or metal leaf materials
- With damping on one or both sides, for doors up to 40 kg leaf weight so that the door is stopped gently and pulled autonomously into the end position
- Uniform track for Rollan 40 and 80 allows for easy adjustment to changing applications
- Smooth-running roller carriages that can be set in motion with little force
- Easy adjustment of the space between the door leaf and track
- Retractable suspension plates allow for the door to be installed with a small clearance between the track and the upper edge of the door
- Tested for durability in accordance with DIN EN 1527 to 50,000 testing cycles
- Closed aluminium track protects against ingress of dust and dirt
- Simple, direct ceiling installation or bracket mounting on ceiling and wall
- Simple adjustment of the space between door leaf and rail / readjustment also possible when installed

### TECHNICAL DATA

Productname	Rollan 80 NT wood
Leaf material	Wood, Metal
Leaf weight (max.)	80 kg
Number of leaves	1-leaf
Leaf width (min.)	500 mm
Leaf width (max.)	1640 mm
Leaf height (max.)	3500 mm
Leaf thickness from	19 mm
Leaf thickness to	30 mm
Track geometry	straight
EN 1670 Corrosion resistance	1 (acc. to EN 1670: Class 0 = none defined, Class 1 = low, Class 2 medium, Class 3 = high, Class 4 = very high, Class 5 = extraordinary)
EN 1527 Continuous function	50,000 test cycles
Type of installation	Ceiling installation, Wall installation
DIN direction	left / right
Manual operation	Yes
Colour	mill finish

**PART****ROLLAN 80 NT COMPLETE SET**

Sliding door fitting for timber leaves



Name	Description	Ident-No.	Leaf width (min.)	Leaf width (max.)	Length
GEZE Rollan 80 NT complete set	Set for wall and ceiling installation with wooden leaf standard, up to 80 kg leaf weight -ball bearing-	160415	500 mm	1420 mm	2800 mm
GEZE Rollan 80 NT complete set	Set for wall and ceiling installation with wooden leaf standard, up to 80 kg leaf weight -ball bearing-	160411	500 mm	840 mm	1650 mm
GEZE Rollan 80 NT complete set	Set for wall and ceiling installation with wooden leaf standard, up to 80 kg leaf weight -ball bearing-	160413	500 mm	970 mm	1900 mm
GEZE Rollan 80 NT complete set	Set for wall and ceiling installation with wooden leaf standard, up to 80 kg leaf weight -ball bearing-	160412	500 mm	920 mm	1800 mm
GEZE Rollan 80 NT complete set	Set for wall and ceiling installation with wooden leaf standard, up to 80 kg leaf weight -ball bearing-	160414	500 mm	1190 mm	2350 mm
GEZE Rollan 80 NT complete set	Set for wall and ceiling installation with wooden leaf standard, up to 80 kg leaf weight -ball bearing-	160416	500 mm	1640 mm	3250 mm

**ACCESSORY****LEAF STOP**

End stop for sliding leaves



Name	Ident-No.
Leaf stop	000339
Leaf stop	000342

**FLUSH PULL, 15-80 MM WOOD**

Flush pull for timber leaf



Name	Description	Ident-No.	Colour
Flush pull, 15-80 mm wood	Outer diameter 60 mm, specify leaf thickness when ordering	127614	Stainless steel

**ROLLAN 80 NT SOFTSTOP SET, DAMPED ON ONE SIDE, UP TO 40 KG**

Rollan SoftStop for damping on one side for leaf weights up to 40 kg



Name	Description	Ident-No.
Rollan 80 NT SoftStop set, damped on one side, up to 40 kg	The set includes: 1 x damping unit, 1 x release device. Requirements for damping on both sides = 2 pieces.	160360

**CLIP-ON COVER SET 100 SPACER BRACKET**

Spacer bracket for clip-on cover 100



Name	Description	Ident-No.
Clip-on cover set 100 spacer bracket	6 pieces, increase lateral distance of clip panel by 7.5 mm each, incl. 6 screws 4.5 x 10 mm T20. For use with Perlan AUT-NT as well as for wing thicknesses from 30 mm	137754

**CLIP-ON COVER SET 100 PLASTIC CLIP**

Plastic clip for spacer bracket for clip-on cover 100



Name	Description	Ident-No.
Clip-on cover set 100 plastic clip	10 pcs., for the direct attachment of the clip-on cover 100 on the running track or the spacer brackets	137863

**HEIGHT COMPENSATION MECHANISM / CEILING SPACER SET, WITH VARIABLE ADJUSTMENT**

Height compensation with variable adjustment for ceiling installation of tracks



Name	Description	Ident-No.
Height compensation mechanism / ceiling spacer set, with variable adjustment	6 pcs., height compensation mechanism with variable adjustment from 13 mm to 18 mm. For use for ceiling mounting using clip-on cover 100/145 as well as for general use on uneven ceilings	138099

**DOOR HANDLE ROD, CONFIGURED**


Push bar – round design for installation on glass leaves



Name	Ident-No.	Colour
Door handle rod, configured	127616	Stainless steel

**SET OF END CAPS, CLIP-ON COVER 100**

End cap for clip-on cover 100, slim version



Name	Description	Ident-No.	Colour
Set of end caps, clip-on cover 100	2 pcs., narrow version, for use without spacer bracket	137869	acc. to RAL
Set of end caps, clip-on cover 100	2 pcs., narrow version, for use without spacer bracket	137867	stainless steel optic
Set of end caps, clip-on cover 100	2 pcs., narrow version, for use without spacer bracket	137865	EV1

**SET OF END CAPS, CLIP-ON COVER 100**

End cap for clip-on cover 100, large version



Name	Description	Ident-No.	Colour
Set of end caps, clip-on cover 100	2 pcs., wide version, for use with spacer bracket	137866	stainless steel optic
Set of end caps, clip-on cover 100	2 pcs., wide version, for use with spacer bracket	137864	EV1
Set of end caps, clip-on cover 100	2 pcs., wide version, for use with spacer bracket	137868	acc. to RAL